NSN 5305-01-559-4738

Machine Screw - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5305-01-559-4738

view Online at https://aerobasegroup.com/hsh/5305-01-559-4736
Thread Direction:
Right-hand
Thread Length:
38.0 millimeters
Fastener Length:
40.0 millimeters
Head Style:
Pan
Head Diameter:
Between 7.6 millimeters and 8.0 millimeters
Head Height:
Between 2.8 millimeters and 3.1 millimeters
Internal Drive Style:
Cross recess type 1
End Application:
1025-01-445-0991, 155mm howitzer, medium, towed
Thread Diameter:
4.0 millimeters
Thread Pitch In Millimeters:
0.7
External Thread Tolerance Class:
6h
6h Product Name:
Product Name:
Product Name: Screw, machine; cross recessed pan head
Product Name: Screw, machine; cross recessed pan head Screw Material:
Product Name: Screw, machine; cross recessed pan head Screw Material: Steel property class 9.8
Product Name: Screw, machine; cross recessed pan head Screw Material: Steel property class 9.8 Screw Surface Treatment:
Product Name: Screw, machine; cross recessed pan head Screw Material: Steel property class 9.8 Screw Surface Treatment: Zinc and chromate
Product Name: Screw, machine; cross recessed pan head Screw Material: Steel property class 9.8 Screw Surface Treatment: Zinc and chromate Screw Surface Treatment Specification:
Product Name:Screw, machine; cross recessed pan headScrew Material:Steel property class 9.8Screw Surface Treatment:Zinc and chromateScrew Surface Treatment Specification:Astm b633.Ty2 assn standard single treatment response
Product Name:Screw, machine; cross recessed pan headScrew Material:Steel property class 9.8Screw Surface Treatment:Zinc and chromateScrew Surface Treatment Specification:Astm b633.Ty2 assn standard single treatment responseThread Series Designator:
Product Name: Screw, machine; cross recessed pan head Screw Material: Steel property class 9.8 Screw Surface Treatment: Zinc and chromate Screw Surface Treatment Specification: Astm b633.Ty2 assn standard single treatment response Thread Series Designator: M
Product Name: Screw, machine; cross recessed pan head Screw Material: Steel property class 9.8 Screw Surface Treatment: Zinc and chromate Screw Surface Treatment Specification: Astm b633.Ty2 assn standard single treatment response Thread Series Designator: M Shelf Life:
Product Name:Screw, machine; cross recessed pan headScrew Material:Steel property class 9.8Screw Surface Treatment:Zinc and chromateScrew Surface Treatment Specification:Astm b633.Ty2 assn standard single treatment responseThread Series Designator:MShelf Life:N/a
Product Name:Screw, machine; cross recessed pan headScrew Material:Steel property class 9.8Screw Surface Treatment:Zinc and chromateScrew Surface Treatment Specification:Astm b633.Ty2 assn standard single treatment responseThread Series Designator:MShelf Life:N/a
Product Name: Screw, machine; cross recessed pan head Screw Material: Steel property class 9.8 Screw Surface Treatment: Zinc and chromate Screw Surface Treatment Specification: Astm b633.Ty2 assn standard single treatment response Thread Series Designator: M Shelf Life: N/a Unit Of Measure:
Product Name: Screw, machine; cross recessed pan head Screw Material: Steel property class 9.8 Screw Surface Treatment: Zinc and chromate Screw Surface Treatment Specification: Astm b633.Ty2 assn standard single treatment response Thread Series Designator: M Shelf Life: N/a Unit Of Measure:
Product Name: Screw, machine; cross recessed pan head Screw Material: Steel property class 9.8 Screw Surface Treatment: Zinc and chromate Screw Surface Treatment Specification: Astm b633.Ty2 assn standard single treatment response Thread Series Designator: M Shelf Life: N/a Unit Of Measure: Demilitarization: No