NSN 5305-01-567-1485

Machine Screw - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5305-01-567-1485 **Thread Direction:** Right-hand **Thread Length:** Between 25.7 millimeters and 26.3 millimeters Fastener Length: Between 25.7 millimeters and 26.3 millimeters **Head Style:** Undercut pan no. 2 **Head Diameter:** Between 7.7 millimeters and 8.0 millimeters **Head Height:** Between 2.2 millimeters and 2.4 millimeters **Internal Drive Style:** Torque set **End Application:** 1340-01-543-5696 rocket pod, 298 millimeter **Thread Diameter:** 4.0 millimeters Min. Tensile Strength (psi): 1100 megapascals **Product Name:** Screw, machine, pan head, offset cruciform, a286 cres full thread **Screw Material:** Stainless steel **Bearing Surface Of Head Surface Treatment: Passivate Head Surface Treatment: Passivate Screw Surface Treatment: Passivate Bearing Surface Of Head Surface Treatment Specification:** Qq-p-35 federal specification single treatment response **Head Surface Treatment Specification:** Qq-p-35 federal specification single treatment response **Screw Surface Treatment Specification:** Qq-p-35 federal specification single treatment response **Thread Series Designator:** Mj Shelf Life: N/a

Unit Of Measure:

NSN 5305-01-567-1485

Machine Screw - Page 2 of 2



Demilitarization:

No

Fiig:

A500d0