## NSN 5305-01-567-6854

Machine Screw - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5305-01-567-6854



**Thread Class:** 3a **Thread Direction: Right-hand Thread Length:** Between 0.750 inches and 0.812 inches Fastener Length: Between 0.750 inches and 0.812 inches **Head Style:** Flat chamfer **Head Diameter:** Between 0.265 inches and 0.270 inches **Head Height:** Between 0.088 inches and 0.102 inches **Internal Drive Style:** Torque set **End Application:** Aircraft applications **Thread Diameter:** 0.164 inches Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 2240 pounds per square inch **Product Name:** Machine screw **Screw Material:** Iron alloy 660 **Screw Material Specification:** Aams 5737 military specification all material responses **Screw Surface Treatment:** Passivate **Screw Surface Treatment Specification:** Qq-p-35 federal specification single treatment response **Special Features:** Screw, machine-flat fillister head, full thread, offset cruciform **Thread Series Designator:** Unjc **Specification Data:** 80205-nas1101 professional/industrial association standard Shelf Life:

N/a

## NSN 5305-01-567-6854

Machine Screw - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A500d0

Mil-std (military Standard):

spec.

