

View Online at <https://aerobasegroup.com/nsn/5305-01-579-5360>

Thread Direction:

Right-hand

Thread Length:

26.0 millimeters

Fastener Length:

Between 9.0 millimeters and 10.0 millimeters

Head Style:

Hexagon

Head Height:

Between 3.2 millimeters and 3.5 millimeters

Width Between Flats:

Between 9.7 millimeters and 10.0 millimeters

Internal Drive Style:

Torque set

End Application:

Nsn 2320-01-565-3428 chassis, truck

Thread Diameter:

6.0 millimeters

Min. Tensile Strength (psi):

1100 megapascals

Thread Pitch In Millimeters:

1.0

Product Name:

Screw, dual, wrenching, hex head/offset cruciform, a286 cres, full thread, 1100 mpa-metric

Screw Material:

Stainless steel

Screw Material Specification:

A286 assn standard single material response

Screw Surface Treatment:

Passivate

Screw Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Bearing Surface Of Head Surface Finish:

0.8 micrometers

Shank Surface Finish:

0.8 micrometers

Thread Surface Finish:

0.8 micrometers

Thread Series Designator:

Mj

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A500d0