NSN 5305-01-580-9980

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-580-9980

Thread Class:
3a Thursd Directions
Thread Direction:
Right-hand Thread Longth:
Thread Length:
Between 0.318 inches and 0.328 inches
Fastener Length:
Between 0.683 inches and 0.713 inches
Head Style:
Flat countersunk
Head Diameter:
0.322 inches
Grip Diameter:
Between 0.1881 inches and 0.1895 inches
Internal Drive Style:
Cross recess type 1
Thread Diameter:
0.190 inches
Grip Length:
Between 0.370 inches and 0.380 inches
Thready Qty Per Inch (tpi):
32
Countersink Angle:
100.0 degrees
Surface Finish:
32.0 microinches threads Product Name:
Bolt, pan head, cross recess, short thread
Material:
Titanium alloy
Material Specification: Ama 4029 occup standard single material response, or ama 4067 occup standard single material response.
Ams 4928 assn standard single material response or ams 4967 assn standard single material response
Surface Treatment: Aluminum
Surface Treatment Specification:
Bms 10-85, type 1 assn standard single treatment response Thread Series Designator:
Unjf Shelf Life:
N/a
Unit Of Measure:
Unit of Micasure.

--

NSN 5305-01-580-9980

Close Tolerance Screw - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0