## NSN 5305-01-583-8388

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-583-8388

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.370 inches
Fastener Length:
1.120 inches
Head Style:
Flat countersunk
Head Diameter:
0.397 inches
Grip Diameter:
Between 0.2485 inches and 0.2495 inches
Point Diameter:
Between 0.241 inches and 0.244 inches
Single Shear Strength:
95000 pounds per square inch
Point Style:
Flat
Internal Drive Style:
Cross recess type ii
Thread Diameter:
0.250 inches
Grip Length:
0.750 inches
Thready Qty Per Inch (tpi):
28
Min. Tensile Strength (psi):
160000 pounds per square inch
Countersink Angle:
Between 99.0 degrees and 101.0 degrees
Material:
Iron alloy 660
Material Specification:
Ams 5731 assn standard single material response or ams 5737 assn standard single material response
Surface Treatment:
Cadmium
Surface Treatment Specification:
Qq-p-416, type ii, class 2 federal specification single treatment response
Thread Series Designator:
Unjc

## NSN 5305-01-583-8388

Close Tolerance Screw - Page 2 of 2



_					
CI	~~	14	I i	ife:	
J.	16			HE.	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A003b0