## NSN 5305-01-596-3644

Hexagon Head Cap Screw - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5305-01-596-3644

Thread Direction:
Right-hand
Thread Length:
29.0 millimeters
Fastener Length:
70.0 millimeters
Head Style:
Hexagon
Head Height:
Between 3.9 millimeters and 4.2 millimeters
Width Between Flats:
Between 9.8 millimeters and 10.0 millimeters
End Application:
6115-01-561-7788 generator set, diesel engine
Thread Diameter:
6.0 millimeters
Thread Pitch In Millimeters:
1.0
External Thread Tolerance Class:
6h
Product Name:
Product Name: Screw, cap, hexagon
Screw, cap, hexagon
Screw, cap, hexagon  Material:
Screw, cap, hexagon  Material:  Steel property class 8.8
Screw, cap, hexagon  Material: Steel property class 8.8  Material Specification:
Screw, cap, hexagon  Material: Steel property class 8.8  Material Specification: Saej1199, class 8.8 assn standard single material response
Screw, cap, hexagon  Material: Steel property class 8.8  Material Specification: Saej1199, class 8.8 assn standard single material response  Surface Treatment:
Screw, cap, hexagon  Material: Steel property class 8.8  Material Specification: Saej1199, class 8.8 assn standard single material response  Surface Treatment: Zinc
Screw, cap, hexagon  Material: Steel property class 8.8  Material Specification: Saej1199, class 8.8 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification:
Screw, cap, hexagon  Material: Steel property class 8.8  Material Specification: Saej1199, class 8.8 assn standard single material response  Surface Treatment: Zinc  Surface Treatment Specification: Astm b633, type ii, sc 3 assn standard single treatment response
Screw, cap, hexagon  Material: Steel property class 8.8  Material Specification: Saej1199, class 8.8 assn standard single material response Surface Treatment: Zinc  Surface Treatment Specification: Astm b633, type ii, sc 3 assn standard single treatment response Thread Series Designator:
Screw, cap, hexagon  Material: Steel property class 8.8  Material Specification: Saej1199, class 8.8 assn standard single material response Surface Treatment: Zinc  Surface Treatment Specification: Astm b633, type ii, sc 3 assn standard single treatment response Thread Series Designator: M
Screw, cap, hexagon  Material: Steel property class 8.8  Material Specification: Saej1199, class 8.8 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, sc 3 assn standard single treatment response Thread Series Designator: M Shelf Life:
Screw, cap, hexagon  Material: Steel property class 8.8  Material Specification: Saej1199, class 8.8 assn standard single material response Surface Treatment: Zinc  Surface Treatment Specification: Astm b633, type ii, sc 3 assn standard single treatment response Thread Series Designator: M Shelf Life: N/a
Screw, cap, hexagon  Material: Steel property class 8.8  Material Specification: Saej1199, class 8.8 assn standard single material response Surface Treatment: Zinc  Surface Treatment Specification: Astm b633, type ii, sc 3 assn standard single treatment response Thread Series Designator: M Shelf Life: N/a
Screw, cap, hexagon  Material: Steel property class 8.8  Material Specification: Saej1199, class 8.8 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, sc 3 assn standard single treatment response Thread Series Designator: M Shelf Life: N/a Unit Of Measure:
Screw, cap, hexagon  Material: Steel property class 8.8  Material Specification: Saej1199, class 8.8 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, sc 3 assn standard single treatment response Thread Series Designator: M Shelf Life: N/a Unit Of Measure: Demilitarization: