

View Online at <https://aerobasegroup.com/nsn/5305-01-605-2630>

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Thread Length:**

0.516 inches

**Fastener Length:**

Between 0.593 inches and 0.625 inches

**Head Style:**

Pan

**Head Diameter:**

Between 0.306 inches and 0.322 inches

**Head Height:**

Between 0.370 inches and 0.390 inches

**Internal Drive Style:**

Cross recess type iii

**End Application:**

5805-01-581-9251

**Thread Diameter:**

0.164 inches

**Features Provided:**

Flat washer and lock washer

**Thready Qty Per Inch (tpi):**

32

**Product Name:**

Screw, pan head, assembled washers, standard shoulder washers

**Screw Material:**

Stainless steel

**Screw Material Specification:**

Ms51957 military standard single material response

**Bearing Surface Of Head Surface Treatment:**

Black chemical finish and oxide

**Head Surface Treatment:**

Black chemical finish and oxide

**Screw Surface Treatment:**

Black chemical finish and oxide

**Shank Surface Treatment:**

Black chemical finish and oxide

**Bearing Surface Of Head Surface Treatment Specification:**

Mil-dtl-13924, class 4 military standard single treatment response

**Head Surface Treatment Specification:**

Mil-dtl-13924, class 4 military standard single treatment response

**Screw Surface Treatment Specification:**

Mil-dtl-13924, class 4 military standard single treatment response

**Shank Surface Treatment Specification:**

Mil-dtl-13924, class 4 military standard single treatment response

**Special Features:**

Flat washer material is corrosion resistant steel per ams-qq-763a class 302, condition b or class 304 condition a, or class 384 condition a.

Lock washer material is corrosion-resistant steel per nasm35338.

**Color:**

Black

**Thread Series Designator:**

Unc

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A500d0

**Mil-std (military Standard):**

Mil-dtl-13924 spec.