

View Online at <https://aerobasegroup.com/nsn/5305-01-606-2782>

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Thread Length:**

Between 0.469 inches and 0.500 inches

**Fastener Length:**

Between 0.469 inches and 0.500 inches

**Head Style:**

Pan

**Head Diameter:**

Between 0.357 inches and 0.373 inches

**Head Height:**

Between 0.122 inches and 0.133 inches

**Internal Drive Style:**

Torque set

**End Application:**

2350-01-405-9886

**Thread Diameter:**

0.190 inches

**Thready Qty Per Inch (tpi):**

32

**Product Name:**

Screw, self-locking, pan head

**Screw Material:**

Iron alloy 660

**Screw Material Specification:**

Ams5731 assn standard single material response or ams5732 assn standard single material response or ams5737 assn standard single material response or ams5853 assn standard single material response

**Head Surface Treatment:**

Aluminum or cadmium or passivate

**Screw Surface Treatment:**

Aluminum or cadmium or passivate

**Head Surface Treatment Specification:**

Ams-qq-p-35 assn standard single treatment response or qq-p-416, type ii, class 2 federal specification single treatment response or nas4006 national specification single treatment response

**Screw Surface Treatment Specification:**

Ams-qq-p-35 assn standard single treatment response or qq-p-416, type ii, class 2 federal specification single treatment response or nas4006 national specification single treatment response

**Thread Series Designator:**

Unjf

**Shelf Life:**

N/a

**Unit Of Measure:**

**Demilitarization:**

No

**Fig:**

A500d0