NSN 5305-01-607-2093

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-607-2093

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.594 inches
Fastener Length:
Between 1.079 inches and 1.109 inches
Head Style:
Flat countersunk
Head Diameter:
Between 0.7170 inches and 0.7604 inches
Head Height:
0.167 inches
Grip Diameter:
Between 0.3740 inches and 0.3745 inches
Internal Drive Style:
Offset cruciform (torque set)
Thread Diameter:
0.375 inches
Grip Length:
Between 0.49 inches and 0.51 inches
Thready Qty Per Inch (tpi):
24
Min. Tensile Strength (psi):
14000 pounds per square inch
Countersink Angle:
Between 99.0 degrees and 101.0 degrees
Product Name:
Bolt, 100 degrees flush head
Material:
Stainless steel
Material Specification:
A-286 cres per ams5731, ams7532 or ams5737 national std/spec single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Thread Series Designator:
Unjf
Specification Data:
20005 and 500 and foreign of the description of the description of the description

80205-nas1580 professional/industrial association standard

NSN 5305-01-607-2093

Close Tolerance Screw - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0