NSN 5305-01-607-2100

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-607-2100

Thread Class:						
3a						
Thread Direction:						
Right-hand						
Thread Length:						
0.501 inches						
Fastener Length:						
Between 1.236 inches and 1.266 inches						
Head Style:						
Flat countersunk						
Head Diameter:						
Between 0.5780 inches and 0.6335 inches						
Head Height:						
0.140 inches						
Grip Diameter:						
Between 0.3115 inches and 0.3120 inches						
Internal Drive Style:						
Offset cruciform (torque set)						
Thread Diameter:						
0.3125 inches						
Grip Length:						
Between 0.74 inches and 0.76 inches						
Thready Qty Per Inch (tpi):						
24						
Min. Tensile Strength (psi):						
9260 pounds per square inch						
Countersink Angle:						
Between 99.0 degrees and 101.0 degrees						
Material:						
Stainless steel						
Material Specification:						
A-286 cres per ams5731, ams7532 or ams5737 national std/spec single material response						
Surface Treatment:						
Passivate						
Surface Treatment Specification:						
Qq-p-35 federal specification single treatment response						
Thread Series Designator:						
Unjf						
Specification Data:						
80205-nas1580 professional/industrial association standard						
Shelf Life:						

N/a

NSN 5305-01-607-2100

Close Tolerance Screw - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A003b0