

View Online at <https://aerobasegroup.com/nsn/5305-01-612-3044>

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Thread Length:**

0.500 inches

**Fastener Length:**

0.500 inches

**Head Style:**

Pan

**Head Diameter:**

Between 0.357 inches and 0.373 inches

**Head Height:**

Between 0.099 inches and 0.110 inches

**Internal Drive Style:**

Cross recess type 1

**End Application:**

2355-01-559-0791

**Thread Diameter:**

0.190 inches

**Thready Qty Per Inch (tpi):**

24

**Product Name:**

Screw, machine, pan head, cross-recessed, type 1, unc, cres

**Screw Material:**

Steel comp 302 or steel comp 304 or steel comp 304l or steel comp 305 or steel comp 308 or steel comp 309 or steel comp 310 or steel comp 314 or steel comp 316 or steel comp 316l or steel comp 317 or steel comp 321 or steel comp 322 or steel comp 323 or steel comp 324 or steel comp 347

**Screw Material Specification:**

Astm a276 assn standard single material response

**Screw Surface Treatment:**

Passivate

**Screw Surface Treatment Specification:**

Astm a380 assn standard single treatment response

**Special Features:**

Threads shall be unified std, unc or unrc, iaw asme b18.1.1

**Thread Series Designator:**

Unc

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A500d0