

View Online at <https://aerobasegroup.com/nsn/5305-01-614-2165>

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Thread Length:**

0.701 inches

**Fastener Length:**

0.813 inches

**Head Style:**

Flat countersunk

**Head Diameter:**

0.332 inches

**Head Height:**

0.080 inches

**Internal Drive Style:**

Torque-set ribbed

**Thread Diameter:**

0.190 inches

**Thready Qty Per Inch (tpi):**

32

**Countersink Angle:**

Between 99.0 degrees and 101.0 degrees

**Product Name:**

Screw, 100 degree head, cross recess, titanium, pointed, full threaded

**Screw Material:**

Titanium alloy uns r56400

**Screw Material Specification:**

Ams4928 assn standard single material response or ams4967 assn standard single material response

**Bearing Surface Of Head Surface Treatment:**

Aluminum

**Head Surface Treatment:**

Aluminum

**Screw Surface Treatment:**

Aluminum

**Shank Surface Treatment:**

Aluminum

**Bearing Surface Of Head Surface Treatment Specification:**

Bas10-85, type 1, class a assn standard single treatment response

**Head Surface Treatment Specification:**

Bas10-85, type 1, class a assn standard single treatment response

**Screw Surface Treatment Specification:**

Bas10-85, type 1, class a assn standard single treatment response

**Shank Surface Treatment Specification:**

Bas10-85, type 1, class a assn standard single treatment response

**Thread Series Designator:**

Unjf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A500d0