## NSN 5305-01-620-9613

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-620-9613

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.47 inches and 0.50 inches
Fastener Length:
Between 0.47 inches and 0.50 inches
Head Style:
Pan
Head Diameter:
Between 0.306 inches and 0.322 inches
Head Height:
Between 0.105 inches and 0.115 inches
Internal Drive Style:
Cross recess type 1
Thread Diameter:
0.1640 inches
Thready Qty Per Inch (tpi):
32
Product Name:
Screw, pan head
Screw Material:
Stainless steel
Screw Material Specification:
Ams5731 assn standard single material response or ams5732 assn standard single material response or ams5737 assn standard single
material response or ams5853 assn standard single material response
Bearing Surface Of Head Surface Treatment:
Cadmium
Head Surface Treatment:
Cadmium
Screw Surface Treatment:
Cadmium
Shank Surface Treatment:
Cadmium
Bearing Surface Of Head Surface Treatment Specification:
Qq-p-416, type 2, class 2 federal specification single treatment response
Head Surface Treatment Specification:
Qq-p-416, type 2, class 2 federal specification single treatment response
Screw Surface Treatment Specification:
Qq-p-416, type 2, class 2 federal specification single treatment response
Shank Surface Treatment Specification:

Qq-p-416, type 2, class 2 federal specification single treatment response

## NSN 5305-01-620-9613

Machine Screw - Page 2 of 2



Fiig: A500d0