

View Online at <https://aerobasegroup.com/nsn/5305-01-622-5595>

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Thread Length:**

0.880 inches

**Fastener Length:**

0.880 inches

**Head Style:**

Flat countersunk

**Head Diameter:**

0.231 inches

**Head Height:**

0.057 inches

**Internal Drive Style:**

Torque set

**Thread Diameter:**

0.1380 inches

**Thready Qty Per Inch (tpi):**

32

**Countersink Angle:**

Between 99.0 degrees and 101.0 degrees

**Product Name:**

Screw, machine-flat 100deg head, full thread, offset cruciform

**Screw Material:**

Steel comp 4140 or steel comp 4340 or steel comp 8740

**Screw Material Specification:**

Mil-s-5626 military specification 1st material response or mil-s-5000 military specification 2nd material response or mil-s-6049 military specification 3rd material response

**Screw Surface Treatment:**

Cadmium

**Screw Surface Treatment Specification:**

Qq-p-416, type ii, class 2 federal specification single treatment response

**Bearing Surface Of Head Surface Finish:**

32.0 microinches

**Thread Surface Finish:**

32.0 microinches

**Thread Series Designator:**

Unjc

**Specification Data:**

80205-nas1102 professional/industrial association standard

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A500d0

**Mil-std (military Standard):**

Mil-s-5626 spec.