NSN 5305-01-624-0228

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-624-0228

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.323 inches
Fastener Length:
Between 0.558 inches and 0.588 inches
Head Style:
Pan
Head Diameter:
Between 0.357 inches and 0.373 inches
Head Height:
Between 0.103 inches and 0.118 inches
Grip Diameter:
Between 0.1990 inches and 0.1995 inches
Internal Drive Style:
Tri-wing recess
Thread Diameter:
0.1900 inches
Grip Length:
Between 0.240 inches and 0.260 inches
Thready Qty Per Inch (tpi):
32
Surface Finish:
32.0 microinches threads
Product Name:
Bolt, pan head, close tolerance, short thread, tri-slot recess, a286 cres, self-locking and nonlocking
Material:
Iron alloy 660
Material Specification:
A286 cres iaw ams5731, 5732, 5737 or 5853 national std/spec single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Nas4003 national std/spec single treatment response
Thread Series Designator:
Unjf
Specification Data:
80205-nas5100 through 5106 professional/industrial association standard
Shelf Life:
N/a

NSN 5305-01-624-0228

Close Tolerance Screw - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A003b0