

View Online at <https://aerobasegroup.com/nsn/5305-01-624-3072>

Thread Class:

3a

Thread Direction:

Right-hand

Thread Length:

0.323 inches

Fastener Length:

Between 0.870 inches and 0.900 inches

Head Style:

Pan

Head Diameter:

Between 0.1845 inches and 0.1859 inches

Head Height:

Between 0.122 inches and 0.133 inches

Grip Diameter:

Between 0.357 inches and 0.373 inches

Shank Unthreaded Hole Diameter:

0.070 inches and 0.075 inches all holes

Internal Drive Style:

Cross recess type 1

Thread Diameter:

0.1900 inches

Grip Length:

Between 0.552 inches and 0.572 inches

Thready Qty Per Inch (tpi):

32

Distance From Head Largest Bearing Surface To Shank Hole Center:

0.721 inches all holes

Product Name:

Bolt, pan head, close tolerance, short thread, cruciform recess, a286 cres, self-locking and nonlocking

Material:

Iron alloy 660

Material Specification:

Ams5731, ams5732, ams5737 or ams5853 national std/spec single material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Qq-p-416, type ii, class 2 federal specification single treatment response

Thread Series Designator:

Unjf

Specification Data:

80205-nas7800 through 7806 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0