NSN 5305-01-642-5098

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-642-5098

Thread	Direction:

Right-hand

Thread Length:

12.0 millimeters

Fastener Length:

12.0 millimeters

Head Style:

Flat countersunk

Head Diameter:

Between 7.2 millimeters and 8.0 millimeters

Head Height:

1.69 millimeters

Countersink Height:

Between 0.55 millimeters and 0.63 millimeters

Internal Drive Style:

Torque set

Thread Diameter:

4.0 millimeters

Min. Tensile Strength (psi):

1100 megapascals

Thread Pitch In Millimeters:

0.7

Countersink Angle:

Between 99.5 degrees and 100.5 degrees

Product Name:

Screw, machine, 100 degree flush head, offset cruciform recess, full thread, a286 cres, 1100 mpa, metric

Screw Material:

Iron alloy 660

Screw Surface Treatment:

Passivate

Screw Surface Treatment Specification:

Ams2700, mothod 1, class 4 assn standard single treatment response

Bearing Surface Of Head Surface Finish:

0.8 micrometers

Shank Surface Finish:

0.8 micrometers

Thread Surface Finish:

0.8 micrometers

Thread Series Designator:

Mj

Shelf Life:

N/a

NSN 5305-01-642-5098

Machine Screw - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A500d0

