

View Online at <https://aerobasegroup.com/nsn/5305-01-649-3212>

Thread Class:

3a

Thread Direction:

Right-hand

Thread Length:

0.5915 inches

Fastener Length:

Between 0.6565 inches and 0.6875 inches

Head Style:

Flat countersunk

Head Diameter:

0.322 inches

Internal Drive Style:

Offset cruciform ribbed

Thread Diameter:

0.1900 inches

Thready Qty Per Inch (tpi):

32

Min. Tensile Strength (psi):

3180 pounds per square inch

Countersink Angle:

Between 99.0 degrees and 101.0 degrees

Product Name:

Screw machine flat 100 degrees head full thread offset crucif

Screw Material:

Titanium alloy uns r56400

Screw Material Specification:

Ams4957 assn standard single material response

Bearing Surface Of Head Surface Treatment:

Aluminum

Head Surface Treatment:

Aluminum

Screw Surface Treatment:

Aluminum

Shank Surface Treatment:

Aluminum

Head Surface Treatment Specification:

Nas4006 national specification single treatment response or mil-c-83488type11class3 military specification single treatment response

Screw Surface Treatment Specification:

Nas4006 national specification single treatment response or il-c-83488type11class3 military specification 10th treatment response

Shank Surface Treatment Specification:

Nas4006 national specification single treatment response or il-c-83488type11class3 military specification 10th treatment response

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A500d0

Mil-std (military Standard):

Mil-c-83488type11class3 spec.