

View Online at <https://aerobasegroup.com/nsn/5305-01-651-3430>

Thread Direction:

Right-hand

Thread Length:

Between 15.7 millimeters and 16.3 millimeters

Fastener Length:

Between 15.7 millimeters and 16.3 millimeters

Head Style:

Hexagon

Head Height:

Between 2.2 millimeters and 2.5 millimeters

Width Between Flats:

Between 6.85 millimeters and 7.00 millimeters

Internal Drive Style:

Torque set

End Application:

1055-01-536-7106

Thread Diameter:

4.0 millimeters

Min. Tensile Strength (psi):

1100 megapascals

Thread Pitch In Millimeters:

0.7

External Thread Tolerance Class:

4h6h

Chamfer Angle:

Between 10.0 degrees and 20.0 degrees

Product Name:

Screw, dual, wrenching, hex head/offset cruciform, a286 cres, full thread, 1100 mpa-metric

Screw Material:

Stainless steel

Screw Material Specification:

Na0026 national specification single material response

Screw Surface Treatment:

Passivate

Screw Surface Treatment Specification:

Qq-p-35 federal standard single treatment response

Bearing Surface Of Head Surface Finish:

0.8 micrometers

Shank Surface Finish:

0.8 micrometers

Thread Surface Finish:

0.8 micrometers

Thread Series Designator:

Mj

Specification Data:

80205-na0067 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A500d0