NSN 5305-01-656-0449

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-01-656-0449

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.338 inches
Fastener Length:
Between 0.573 inches and 0.603 inches
Head Style:
Flat countersunk
Head Diameter:
Between 0.339 inches and 0.381 inches
Internal Drive Style:
High-torque
Thread Diameter:
0.1900 inches
Thready Qty Per Inch (tpi):
32
Countersink Angle:
Between 99.0 degrees and 101.0 degrees
Product Name:
Bolt
Screw Material:
Steel comp 4140 or steel comp 4340 or steel comp e4340 or steel comp 8740
Bearing Surface Of Head Surface Treatment:
Cadmium
Head Surface Treatment:
Cadmium
Screw Surface Treatment:
Cadmium
Shank Surface Treatment:
Cadmium
Bearing Surface Of Head Surface Treatment Specification:
Ams-qq-p-416, type ii, class 2 assn standard single treatment response
Head Surface Treatment Specification:
Ams-qq-p-416, type ii, class 2 assn standard single treatment response
Screw Surface Treatment Specification:
Ams-qq-p-416, type ii, class 2 assn standard single treatment response
Shank Surface Treatment Specification:
Ams-qq-p-416, type ii, class 2 assn standard single treatment response
Thread Series Designator:
Unif

NSN 5305-01-656-0449

Machine Screw - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A500d0