NSN 5306-00-015-4971

Shoulder Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-015-4971 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.400 inches **Fastener Length:** 4.090 inches **Head Style:** Hexagon extended washer **Head Height:** 0.300 inches Width Between Flats: Between 0.553 inches and 0.564 inches **Extended Washer Diameter:** 1.500 inches **Extended Washer Thickness:** 0.100 inches **Shank Unthreaded Hole Diameter:** 0.101 inches first hole and 0.106 inches first hole **Thread Diameter:** 0.375 inches Thready Qty Per Inch (tpi): Min. Tensile Strength (psi): 180000 pounds per square inch Distance From Head Largest Bearing Surface To Shank Hole Center: 3.975 inches first hole and 4.005 inches first hole **Special Features:** Reduction chamfer between major and minor shoulders and 1.240 in. Third shoulder length Material: Steel **Material Specification:** Mil-s-5626 military specification single material response **Thread Series Designator:** Unf Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 5306-00-015-4971

Shoulder Bolt - Page 2 of 2



Fiig:

A003b0

Mil-std (military Standard):

Mil-s-5626 spec.