## NSN 5306-00-019-9460

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-019-9460 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.827 inches and 0.872 inches **Fastener Length:** Between 6.327 inches and 6.357 inches **Head Style:** Hexagon **Head Height:** Between 0.265 inches and 0.287 inches Width Between Flats: Between 0.741 inches and 0.751 inches **Thread Diameter:** 0.500 inches **Grip Length:** Between 5.485 inches and 5.515 inches **Features Provided:** Finished head Thready Qty Per Inch (tpi): 20 Min. Tensile Strength (psi): 140000 pounds per square inch Material: Iron alloy 660 **Material Specification:** Ams5737 assn standard single material response **Surface Treatment: Passivate Surface Treatment Specification:** Mil-s-5002 military specification single treatment response **Thread Series Designator:** Unf 80205-nas1008 professional/industrial association standard

**Specification Data:** Shelf Life: N/a **Unit Of Measure: Demilitarization:** No

## NSN 5306-00-019-9460

Machine Bolt - Page 2 of 2



Fiig:

A003b0

Mil-std (military Standard):

Mil-s-5002 spec.