## NSN 5306-00-021-4288

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-021-4288 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 1.750 inches and 1.938 inches **Fastener Length:** Between 2.219 inches and 2.281 inches **Head Style:** Hexagon **Head Height:** Between 0.438 inches and 0.458 inches Width Between Flats: Between 0.985 inches and 1.000 inches **Locking Feature:** Distortions bearing surface of head **Thread Diameter:** 0.750 inches **Features Provided:** Unfinished head Thready Qty Per Inch (tpi): 16 Min. Tensile Strength (psi): 150000 pounds per square inch Hardness Rating: 302.0 brinell standard and 351.0 brinell standard Minimum Yield Strength: 130000 pounds per square inch Material: Steel **Surface Treatment:** Cadmium or zinc **Surface Treatment Specification:** Qq-p-416, type 1, cl 3 federal specification 1st treatment response or qq-z-325, type 1, cl 3 federal specification 2nd treatment response **Thread Series Designator:** Unf Shelf Life: N/a **Unit Of Measure:** 

No

**Demilitarization:** 

## **NSN 5306-00-021-4288** Machine Bolt - Page 2 of 2



Fiig:

A003b0