## NSN 5306-00-022-0705

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-022-0705

view Offiline at https://aerobasegroup.com/nish/0000-00-022-0700
Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
Between 0.875 inches and 1.062 inches
Fastener Length:
Between 2.968 inches and 3.062 inches
Head Style:
Hexagon
Head Height:
Between 0.188 inches and 0.198 inches
Width Between Flats:
Between 0.489 inches and 0.500 inches
Locking Feature:
Distortions bearing surface of head
Thread Diameter:
0.312 inches
Features Provided:
Finished head
Thready Qty Per Inch (tpi):
18
Min. Tensile Strength (psi):
95000 pounds per square inch
Hardness Rating:
96.0 rockwell b and 104.0 rockwell b
Minimum Yield Strength:
85000 pounds per square inch
Material:
Steel comp 1035
Material Specification:
Qq-s-634 federal specification single material response
Surface Treatment:
Cadmium or zinc
Surface Treatment Specification:
Qq-p-416, type 1 cl 2 federal specification 1st treatment response or qq-z-325, type 1 cl2 federal specification 2nd treatment response
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
<b></b>

## NSN 5306-00-022-0705

Machine Bolt - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0