NSN 5306-00-040-9594



Machine Bolt - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5306-00-040-9594 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.638 inches and 0.688 inches **Fastener Length:** Between 2.023 inches and 2.053 inches **Head Style:** Hexagon **Head Height:** Between 0.203 inches and 0.235 inches Width Between Flats: Between 0.554 inches and 0.564 inches **Hole Diameter:** 0.070 inches **Thread Diameter:** 0.375 inches **Grip Length:** Between 1.365 inches and 1.385 inches **Hole Quantity:** 1 **Hole Type:** Drilled **Features Provided:** Finished head Thready Qty Per Inch (tpi): 24 Min. Tensile Strength (psi): 140000 pounds per square inch **Hole Configuration Style:** Hexagon flats Material:

Iron alloy 660

Material Specification:

Ams 5735 assn standard 1st material response or ams 5737 assn standard 1st material response or ams 5733 assn standard 2nd material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Thread Series Designator:

Unf

NSN 5306-00-040-9594

Machine Bolt - Page 2 of 2



	Spe	cific	ation	Data
--	-----	-------	-------	------

80205-nas1006 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0