NSN 5306-00-051-6911

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-051-6911 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.436 inches and 0.515 inches **Fastener Length:** Between 0.640 inches and 0.687 inches **Head Style:** Hexagon **Head Height:** Between 0.140 inches and 0.172 inches Width Between Flats: Between 0.428 inches and 0.440 inches **Locking Feature:** Pellet threads **Thread Diameter:** 0.250 inches **Grip Length:** Between 0.172 inches and 0.204 inches **Features Provided:** Finished head Thready Qty Per Inch (tpi): Min. Tensile Strength (psi): 62000 pounds per square inch Material: Aluminum alloy **Material Specification:** Qq-a-200 federal specification single material response or qq-a-225 federal specification single material response or qq-a-430 federal specification single material response **Surface Treatment:** Anodize or chromate **Surface Treatment Specification:** Mil-a-8625 military specification 1st treatment response or mil-c-5541 military specification 2nd treatment response **Thread Series Designator:** Unf Shelf Life: N/a

No

Unit Of Measure:

Demilitarization:

NSN 5306-00-051-6911

Machine Bolt - Page 2 of 2



Fiig:

A003b0

Mil-std (military Standard):

Mil-a-8625 spec.