NSN 5306-00-052-3714

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-052-3714

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
1.500 inches
Fastener Length:
2.500 inches
Head Style:
Hexagon
Head Height:
0.375 inches
Width Between Flats:
0.750 inches
End Application:
Loader, scoop type; ded 4/4 w/4 1-1/2 or 5 cy gp bucket (cce)
Thread Diameter:
0.500 inches
Grip Length:
1.000 inches
Features Provided:
Finished head
Thready Qty Per Inch (tpi):
Thready Qty Per Inch (tpi):
Thready Qty Per Inch (tpi): 20
Thready Qty Per Inch (tpi): 20 Min. Tensile Strength (psi): 160000 pounds per square inch
Thready Qty Per Inch (tpi): 20 Min. Tensile Strength (psi):
Thready Qty Per Inch (tpi): 20 Min. Tensile Strength (psi): 160000 pounds per square inch Hardness Rating:
Thready Qty Per Inch (tpi): 20 Min. Tensile Strength (psi): 160000 pounds per square inch Hardness Rating: 40.0 rockwell c and 43.0 rockwell c
Thready Qty Per Inch (tpi): 20 Min. Tensile Strength (psi): 160000 pounds per square inch Hardness Rating: 40.0 rockwell c and 43.0 rockwell c Special Features:
Thready Qty Per Inch (tpi): 20 Min. Tensile Strength (psi): 160000 pounds per square inch Hardness Rating: 40.0 rockwell c and 43.0 rockwell c Special Features: Color black Material:
Thready Qty Per Inch (tpi): 20 Min. Tensile Strength (psi): 160000 pounds per square inch Hardness Rating: 40.0 rockwell c and 43.0 rockwell c Special Features: Color black Material: Steel comp 4140
Thready Qty Per Inch (tpi): 20 Min. Tensile Strength (psi): 160000 pounds per square inch Hardness Rating: 40.0 rockwell c and 43.0 rockwell c Special Features: Color black Material: Steel comp 4140 Material Specification:
Thready Qty Per Inch (tpi): 20 Min. Tensile Strength (psi): 160000 pounds per square inch Hardness Rating: 40.0 rockwell c and 43.0 rockwell c Special Features: Color black Material: Steel comp 4140 Material Specification: Sae assn standard single material response
Thready Qty Per Inch (tpi): 20 Min. Tensile Strength (psi): 160000 pounds per square inch Hardness Rating: 40.0 rockwell c and 43.0 rockwell c Special Features: Color black Material: Steel comp 4140 Material Specification: Sae assn standard single material response Surface Treatment:
Thready Qty Per Inch (tpi): 20 Min. Tensile Strength (psi): 160000 pounds per square inch Hardness Rating: 40.0 rockwell c and 43.0 rockwell c Special Features: Color black Material: Steel comp 4140 Material Specification: Sae assn standard single material response Surface Treatment: Cadmium
Thready Qty Per Inch (tpi): 20 Min. Tensile Strength (psi): 160000 pounds per square inch Hardness Rating: 40.0 rockwell c and 43.0 rockwell c Special Features: Color black Material: Steel comp 4140 Material Specification: Sae assn standard single material response Surface Treatment: Cadmium Thread Series Designator:
Thready Qty Per Inch (tpi): 20 Min. Tensile Strength (psi): 160000 pounds per square inch Hardness Rating: 40.0 rockwell c and 43.0 rockwell c Special Features: Color black Material: Steel comp 4140 Material Specification: Sae assn standard single material response Surface Treatment: Cadmium Thread Series Designator: Unf
Thready Qty Per Inch (tpi): 20 Min. Tensile Strength (psi): 160000 pounds per square inch Hardness Rating: 40.0 rockwell c and 43.0 rockwell c Special Features: Color black Material: Steel comp 4140 Material Specification: Sae assn standard single material response Surface Treatment: Cadmium Thread Series Designator:

--

NSN 5306-00-052-3714

Machine Bolt - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0