NSN 5306-00-052-5670

Shoulder Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-052-5670 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.530 inches **Fastener Length:** 2.496 inches **Head Style:** Hexagon **Head Height:** 0.314 inches Width Between Flats: 0.750 inches **Shoulder Diameter:** 0.4980 inches first shoulder **Shoulder Length:** 1.906 inches first shoulder **Shank Unthreaded Hole Diameter:** 2.121 inches first hole **Thread Diameter:** 0.375 inches **Features Provided:** Casehardened Thready Qty Per Inch (tpi): 16 Hardness Rating: 54.0 rockwell c and 61.0 rockwell c Distance From Head Largest Bearing Surface To Shank Hole Center: 0.107 inches first hole **Shoulder Shape:** Round first shoulder **Special Features:** Thread relieved 0.270 diameter by 0.060 lg thd end chamfered 0.060 lg by45.0 degrees Material: Steel **Material Specification:** Qq-s-633 federal specification single material response **Thread Series Designator:** Unc

N/a

Shelf Life:

NSN 5306-00-052-5670 Shoulder Bolt - Page 2 of 2



ı	In	it I	Of	· M	دما	e i	ıre:
ι	JΝ	II '	ωı	IV	еа	SU	ıre:

Demilitarization:

No

Fiig:

A003b0