NSN 5306-00-056-2379

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-056-2379

Thread Class:

За **Thread Direction:** Right-hand Thread Length: Between 0.436 inches and 0.515 inches **Fastener Length:** Between 1.890 inches and 1.937 inches **Head Style:** Hexagon **Head Height:** Between 0.160 inches and 0.180 inches Width Between Flats: Between 0.740 inches and 0.752 inches **Thread Diameter:** 0.500 inches **Grip Length:** Between 1.422 inches and 1.454 inches **Features Provided:** Finished head Thready Qty Per Inch (tpi): 20 **Surface Finish:** 125.0 microinches Material: Steel comp 4140 or steel comp e4340 or steel comp 6150 or steel comp 8735 or steel comp 8740 **Material Specification:** Mil-s-5626 military specification 1st material response or mil-s-5000 military specification 2nd material response or mil-s-8503 military specification 3rd material response or mil-s-6098 military specification 4th material response or mil-s-6049 military specification 5th material response **Surface Treatment:** Cadmium **Surface Treatment Specification:** Qq-p-416 federal specification single treatment response **Thread Series Designator:** Unf Shelf Life: N/a **Unit Of Measure:**

Fiig: A003b0

No

Demilitarization:

NSN 5306-00-056-2379

Machine Bolt - Page 2 of 2



Mil-std (military Standard):

Mil-s-5626 spec.