# NSN 5306-00-057-3595

Shoulder Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-057-3595

| Thread | Class: |
|--------|--------|

3a

**Thread Direction:** 

**Right-hand** 

## Thread Length:

0.480 inches

#### Fastener Length:

2.300 inches

#### Head Style:

Hexagon

Head Height:

0.300 inches

#### Width Between Flats:

0.940 inches

#### Shoulder Diameter:

0.6241 inches first shoulder

#### Shoulder Length:

1.820 inches first shoulder

#### Shank Unthreaded Hole Diameter:

0.106 inches first hole

### Thread Diameter:

0.500 inches

#### Thready Qty Per Inch (tpi):

20

# Min. Tensile Strength (psi):

180000 pounds per square inch

## Hardness Rating:

39.0 rockwell c and 43.0 rockwell c

# Distance From Head Largest Bearing Surface To Shank Hole Center:

2.140 inches first hole

# Shoulder Shape:

Round first shoulder

## Material:

Steel

# Material Specification:

Cva1-585e, comp 4340, cond c1, fscm 16615 mfr ref single material response

# Surface Treatment:

Cadmium head

# Thread Series Designator:

Unf

## Shelf Life:

N/a

# NSN 5306-00-057-3595

Shoulder Bolt - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A003b0

