## NSN 5306-00-068-5837

Internal Wrenching Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-068-5837 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.387 inches and 0.500 inches **Fastener Length:** Between 0.470 inches and 0.500 inches **Head Diameter:** Between 0.457 inches and 0.469 inches **Head Height:** Between 0.306 inches and 0.312 inches **Hole Diameter:** 0.047 inches **Internal Drive Style:** Hexagon **Thread Diameter:** 0.312 inches Width Across Flats: Between 0.250 inches and 0.253 inches **Hole Quantity:** 1 **Hole Type:** Drilled Thready Qty Per Inch (tpi): 24 Min. Tensile Strength (psi): 170000 pounds per square inch **Hardness Rating:** 38.0 rockwell c and 45.0 rockwell c Minimum Yield Strength: 150000 pounds per square inch **Hole Configuration Style:** Hexagon flats Material: Steel **Surface Treatment:** Cadmium and chromate **Surface Treatment Specification:** Qq-p-416, type 2, cl 3 federal specification all treatment responses

**Thread Series Designator:** 

Unf

## NSN 5306-00-068-5837

Internal Wrenching Bolt - Page 2 of 2



<b>Specification Or Standard:</b>
4 type
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A003b0