NSN 5306-00-080-9395

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-080-9395

Thread Class:

Thread Direction:
Right-hand
Thread Length:
Between 0.283 inches and 0.303 inches
Fastener Length:
0.375 inches
Head Style:
Hexagon
Head Height:
Between 0.134 inches and 0.150 inches
Width Between Flats:
Between 0.367 inches and 0.376 inches
Hole Diameter:
0.062 inches
Thread Diameter:
0.190 inches
Grip Length:
Between 0.072 inches and 0.092 inches
Hole Quantity:
1
Hole Type:
Drilled
Features Provided:
Features Provided:
Features Provided: Finished head
Features Provided: Finished head Thready Qty Per Inch (tpi):
Features Provided: Finished head Thready Qty Per Inch (tpi): 32
Features Provided: Finished head Thready Qty Per Inch (tpi): 32 Minimum Yield Strength:
Features Provided: Finished head Thready Qty Per Inch (tpi): 32 Minimum Yield Strength: 85000 pounds per square inch
Features Provided: Finished head Thready Qty Per Inch (tpi): 32 Minimum Yield Strength: 85000 pounds per square inch Hole Configuration Style:
Features Provided: Finished head Thready Qty Per Inch (tpi): 32 Minimum Yield Strength: 85000 pounds per square inch Hole Configuration Style: Hexagon flats
Features Provided: Finished head Thready Qty Per Inch (tpi): 32 Minimum Yield Strength: 85000 pounds per square inch Hole Configuration Style: Hexagon flats Surface Finish:
Features Provided: Finished head Thready Qty Per Inch (tpi): 32 Minimum Yield Strength: 85000 pounds per square inch Hole Configuration Style: Hexagon flats Surface Finish: 32.0 microinches threads
Features Provided: Finished head Thready Qty Per Inch (tpi): 32 Minimum Yield Strength: 85000 pounds per square inch Hole Configuration Style: Hexagon flats Surface Finish: 32.0 microinches threads Material:
Features Provided: Finished head Thready Qty Per Inch (tpi): 32 Minimum Yield Strength: 85000 pounds per square inch Hole Configuration Style: Hexagon flats Surface Finish: 32.0 microinches threads Material: Iron alloy 660
Features Provided: Finished head Thready Qty Per Inch (tpi): 32 Minimum Yield Strength: 85000 pounds per square inch Hole Configuration Style: Hexagon flats Surface Finish: 32.0 microinches threads Material: Iron alloy 660 Material Specification:
Features Provided: Finished head Thready Qty Per Inch (tpi): 32 Minimum Yield Strength: 85000 pounds per square inch Hole Configuration Style: Hexagon flats Surface Finish: 32.0 microinches threads Material: Iron alloy 660 Material Specification: Ams 5731 assn standard single material response
Features Provided: Finished head Thready Qty Per Inch (tpi): 32 Minimum Yield Strength: 85000 pounds per square inch Hole Configuration Style: Hexagon flats Surface Finish: 32.0 microinches threads Material: Iron alloy 660 Material Specification: Ams 5731 assn standard single material response Thread Series Designator:
Features Provided: Finished head Thready Qty Per Inch (tpi): 32 Minimum Yield Strength: 85000 pounds per square inch Hole Configuration Style: Hexagon flats Surface Finish: 32.0 microinches threads Material: Iron alloy 660 Material Specification: Ams 5731 assn standard single material response Thread Series Designator: Unjf

NSN 5306-00-080-9395

Machine Bolt - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МА	261	ıre:

--

Demilitarization:

No

Fiig:

A003b0