## NSN 5306-00-082-0618

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-082-0618

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.630 inches and 0.690 inches
Fastener Length:
0.938 inches
Head Style:
Hexagon
Head Height:
0.125 inches
Width Between Flats:
Between 0.367 inches and 0.376 inches
Thread Diameter:
0.190 inches
Grip Length:
Between 0.248 inches and 0.308 inches
Features Provided:
Finished head
Thready Qty Per Inch (tpi):
32
Min. Tensile Strength (psi):
125000 pounds per square inch
Hardness Rating:
26.0 rockwell c and 32.0 rockwell c
Surface Finish:
32.0 microinches threads
32.0 microinches threads
32.0 microinches threads  Material:
32.0 microinches threads  Material: Steel comp 8740
32.0 microinches threads  Material: Steel comp 8740  Material Specification:
32.0 microinches threads  Material: Steel comp 8740  Material Specification: Ams 6322 assn standard single material response
32.0 microinches threads  Material: Steel comp 8740  Material Specification: Ams 6322 assn standard single material response  Surface Treatment:
32.0 microinches threads  Material: Steel comp 8740  Material Specification: Ams 6322 assn standard single material response  Surface Treatment: Cadmium
32.0 microinches threads  Material: Steel comp 8740  Material Specification: Ams 6322 assn standard single material response  Surface Treatment: Cadmium  Surface Treatment Specification:
32.0 microinches threads  Material: Steel comp 8740  Material Specification: Ams 6322 assn standard single material response  Surface Treatment: Cadmium  Surface Treatment Specification: Ams 2400 assn standard single treatment response
32.0 microinches threads  Material: Steel comp 8740  Material Specification: Ams 6322 assn standard single material response  Surface Treatment: Cadmium  Surface Treatment Specification: Ams 2400 assn standard single treatment response  Thread Series Designator:
32.0 microinches threads  Material: Steel comp 8740  Material Specification: Ams 6322 assn standard single material response  Surface Treatment: Cadmium  Surface Treatment Specification: Ams 2400 assn standard single treatment response  Thread Series Designator: Unjf
32.0 microinches threads  Material: Steel comp 8740  Material Specification: Ams 6322 assn standard single material response  Surface Treatment: Cadmium  Surface Treatment Specification: Ams 2400 assn standard single treatment response  Thread Series Designator: Unjf  Shelf Life:

## NSN 5306-00-082-0618

Machine Bolt - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0