NSN 5306-00-104-9428

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-104-9428 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.346 inches and 0.366 inches **Fastener Length:** 0.438 inches **Head Style:** Hexagon **Head Height:** Between 0.134 inches and 0.150 inches Width Between Flats: Between 0.367 inches and 0.376 inches **Hole Diameter:** 0.047 inches **Thread Diameter:** 0.190 inches **Grip Length:** Between 0.072 inches and 0.092 inches **Hole Quantity:** 1 **Hole Type:** Drilled **Features Provided:** Finished head Thready Qty Per Inch (tpi): Min. Tensile Strength (psi): 130000 pounds per square inch Hardness Rating: 248.0 brinell standard and 341.0 brinell standard Minimum Yield Strength: 85000 pounds per square inch **Hole Configuration Style:** Hexagon flats **Surface Finish:** 32.0 microinches threads Material:

Iron alloy 660

Material Specification:

Ams 5731 assn standard single material response

NSN 5306-00-104-9428

Machine Bolt - Page 2 of 2



| Thread Series Designator: |
|---------------------------|
| Unjf |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |

Demilitarization:

No

Fiig:

A003b0