## NSN 5306-00-106-8858

Close Tolerance Bolt - Page 1 of 1

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5306-00-106-8858

3a         Thread Direction:         Right-hand         Thread Length:         Between 0.590 inches and 0.630 inches         Fastener Length:         Between 1.300 inches and 1.320 inches         Head Style:         Double hexagon w/hole         Head Height:         Between 0.365 inches and 0.385 inches         Width Between Flats:         Between 0.367 inches and 0.376 inches         Extended Washer Diameter:         Between 0.490 inches and 0.510 inches         Extended Washer Thickness:         Between 0.070 inches and 0.3120 inches         Grip Diameter:         0.312 inches         Grip Length:         Between 0.690 inches and 0.710 inches         Grip Length:         Between 0.690 inches and 0.710 inches         Thread Y dy Per Inch (tpi):         24         Surface Finish:         125.0 microinches         Material         Nickel alloy 718         Material Specification:         Inconel fscm 74900 mfr ref single material response         Thread Series Designator:         Unjf         Sheff Life:         N/a         Demilitarization:	Thread Class:
Right-hand  Right-hand  Thread Length: Between 0.590 inches and 0.630 inches  Fastener Length: Between 1.300 inches and 1.320 inches  Head Style: Double hexagon w/hole Head Height: Between 0.365 inches and 0.385 inches Width Between Flats: Between 0.367 inches and 0.376 inches Extended Washer Diameter: Between 0.490 inches and 0.510 inches Extended Washer Thickness: Between 0.490 inches and 0.510 inches Grip Diameter: Between 0.370 inches and 0.3120 inches Thread Diameter: 0.312 inches Grip Length: Between 0.690 inches and 0.710 inches Thread Yap Per Inch (tpi): 24 Surface Finish: 125.0 microinches Material: Nickel alloy 718 Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	3a
Thread Length: Between 0.590 inches and 0.630 inches Fastener Length: Between 1.300 inches and 1.320 inches Head Style: Double hexagon w/hole Head Height: Between 0.365 inches and 0.385 inches Width Between Flats: Between 0.367 inches and 0.376 inches Extended Washer Diameter: Between 0.490 inches and 0.510 inches Extended Washer Thickness: Between 0.070 inches and 0.510 inches Grip Diameter: Between 0.070 inches and 0.080 inches Grip Diameter: 0.312 inches Grip Length: Between 0.690 inches and 0.3120 inches Thread Diameter: 0.312 inches Grip Length: Between 0.690 inches and 0.710 inches Thread Yap Per Inch (tpi): 24 Surface Finish: 125.0 microinches Material: Nickel alloy 718 Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Sheff Life: N/a Unit Of Measure:  Demilitarization: No	Thread Direction:
Between 0.590 inches and 0.630 inches Fastener Length: Between 1.300 inches and 1.320 inches Head Style: Double hexagon w/hole Head Height: Between 0.365 inches and 0.385 inches Width Between Flats: Between 0.367 inches and 0.376 inches Extended Washer Diameter: Between 0.490 inches and 0.510 inches Extended Washer Thickness: Between 0.070 inches and 0.3120 inches Grip Diameter: Between 0.3110 inches and 0.3120 inches Thread Diameter: 0.312 inches Grip Length: Between 0.690 inches and 0.710 inches Thready Qty Per Inch (tpi): 24 Surface Finish: 125.0 microinches Material: Nickel alloy 718 Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Right-hand
Fastener Length:         Between 1.300 inches and 1.320 inches         Head Style:         Double hexagon w/hole         Head Height:         Between 0.365 inches and 0.385 inches         Width Between Flats:         Between 0.367 inches and 0.376 inches         Extended Washer Diameter:         Between 0.490 inches and 0.510 inches         Extended Washer Thickness:         Between 0.070 inches and 0.3120 inches         Grip Diameter:         0.312 inches         Grip Length:         Between 0.690 inches and 0.710 inches         Thread Diameter:         0.312 inches         Grip Length:         Between 0.690 inches and 0.710 inches         Thready Qty Per Inch (tpi):         24         Surface Finish:         125.0 microinches         Material:         Nickel alloy 718         Material Specification:         Inconel fscm 74900 mfr ref single material response         Thread Series Designator:         Unjf         Shelf Life:         N/a         Unit Of Measure:         Thead Series Designator:         Thead Series Designator:         Wa           <	Thread Length:
Between 1.300 inches and 1.320 inches Head Style: Double hexagon w/hole Head Height: Between 0.365 inches and 0.385 inches Width Between Flats: Between 0.367 inches and 0.376 inches Extended Washer Diameter: Between 0.490 inches and 0.510 inches Extended Washer Thickness: Between 0.070 inches and 0.080 inches Grip Diameter: 0.312 inches Grip Length: Between 0.690 inches and 0.710 inches Thread Diameter: 0.312 inches Grip Length: Between 0.690 inches and 0.710 inches Thready Qty Per Inch (tpi): 24 Surface Finish: 125.0 microinches Material: Nickel alloy 718 Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Between 0.590 inches and 0.630 inches
Head Style: Double hexagon w/hole Head Height: Between 0.365 inches and 0.385 inches Width Between Flats: Between 0.367 inches and 0.376 inches Extended Washer Diameter: Between 0.490 inches and 0.510 inches Extended Washer Thickness: Between 0.490 inches and 0.510 inches Grip Diameter: Between 0.070 inches and 0.080 inches Grip Diameter: Between 0.3110 inches and 0.3120 inches Thread Diameter: 0.312 inches Grip Length: Between 0.690 inches and 0.710 inches Thready Qty Per Inch (tpi): 24 Surface Finish: 125.0 microinches Material: Nickel alloy 718 Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure: 	Fastener Length:
Double hexagon w/hole         Head Height:         Between 0.365 inches and 0.385 inches         Width Between Flats:         Between 0.367 inches and 0.376 inches         Extended Washer Diameter:         Between 0.490 inches and 0.510 inches         Extended Washer Thickness:         Between 0.070 inches and 0.080 inches         Grip Diameter:         Between 0.3110 inches and 0.3120 inches         Thread Diameter:         0.312 inches         Grip Length:         Between 0.690 inches and 0.710 inches         Thready Qty Per Inch (tpi):         24         Surface Finish:         125.0 microinches         Material:         Nickel alloy 718         Material Specification:         Inconel fscm 74900 mfr ref single material response         Thread Series Designator:         Unjf         Shelf Life:         N/a         Unit Of Measure:            Demilitarization:         No         Fig:	Between 1.300 inches and 1.320 inches
Head Height:   Between 0.365 inches and 0.385 inches   Width Between Flats:   Between 0.367 inches and 0.376 inches   Extended Washer Diameter:   Between 0.490 inches and 0.510 inches   Extended Washer Thickness:   Between 0.070 inches and 0.080 inches   Grip Diameter:   Between 0.3110 inches and 0.3120 inches   Thread Diameter:   0.312 inches   Grip Length:   Between 0.690 inches and 0.710 inches   Thready Qty Per Inch (tpi):   24   Surface Finish:   125.0 microinches   Material:   Nickel alloy 718   Material Specification:   Inconel fscm 74900 mfr ref single material response   Thread Series Designator:   Unjf   Shelf Life:   N/a   Unit Of Measure:     Demilitarization:   No   Fig:	Head Style:
Between 0.365 inches and 0.385 inches Width Between Flats: Between 0.367 inches and 0.376 inches Extended Washer Diameter: Between 0.490 inches and 0.510 inches Extended Washer Thickness: Between 0.070 inches and 0.080 inches Grip Diameter: Between 0.3110 inches and 0.3120 inches Thread Diameter: 0.312 inches Grip Length: Between 0.690 inches and 0.710 inches Thready Qty Per Inch (tpi): 24 Surface Finish: 125.0 microinches Material: Nickel alloy 718 Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Double hexagon w/hole
Width Between Flats: Between 0.367 inches and 0.376 inches Extended Washer Diameter: Between 0.490 inches and 0.510 inches Extended Washer Thickness: Between 0.070 inches and 0.080 inches Grip Diameter: Between 0.3110 inches and 0.3120 inches Thread Diameter: 0.312 inches Grip Length: Between 0.690 inches and 0.710 inches Thready Qty Per Inch (tpi): 24 Surface Finish: 125.0 microinches Material: Nickel alloy 718 Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fig:	Head Height:
Between 0.367 inches and 0.376 inches Extended Washer Diameter: Between 0.490 inches and 0.510 inches Extended Washer Thickness: Between 0.070 inches and 0.080 inches Grip Diameter: Between 0.3110 inches and 0.3120 inches Thread Diameter: 0.312 inches Grip Length: Between 0.690 inches and 0.710 inches Thready Qty Per Inch (tpi): 24 Surface Finish: 125.0 microinches Material: Nickel alloy 718 Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Between 0.365 inches and 0.385 inches
Extended Washer Diameter: Between 0.490 inches and 0.510 inches Extended Washer Thickness: Between 0.070 inches and 0.080 inches Grip Diameter: Between 0.3110 inches and 0.3120 inches Thread Diameter: 0.312 inches Grip Length: Between 0.690 inches and 0.710 inches Thready Qty Per Inch (tpi): 24 Surface Finish: 125.0 microinches Material: Nickel alloy 718 Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fig:	Width Between Flats:
Between 0.490 inches and 0.510 inches Extended Washer Thickness: Between 0.070 inches and 0.080 inches Grip Diameter: Between 0.3110 inches and 0.3120 inches Thread Diameter: 0.312 inches Grip Length: Between 0.690 inches and 0.710 inches Thready Qty Per Inch (tpi): 24 Surface Finish: 125.0 microinches Material: Nickel alloy 718 Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Between 0.367 inches and 0.376 inches
Extended Washer Thickness: Between 0.070 inches and 0.080 inches Grip Diameter: Between 0.3110 inches and 0.3120 inches Thread Diameter: 0.312 inches Grip Length: Between 0.690 inches and 0.710 inches Thready Qty Per Inch (tpi): 24 Surface Finish: 125.0 microinches Material: Nickel alloy 718 Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fig:	Extended Washer Diameter:
Between 0.070 inches and 0.080 inches Grip Diameter: Between 0.3110 inches and 0.3120 inches Thread Diameter: 0.312 inches Grip Length: Between 0.690 inches and 0.710 inches Thready Qty Per Inch (tpi): 24 Surface Finish: 125.0 microinches Material: Nickel alloy 718 Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fig:	Between 0.490 inches and 0.510 inches
Grip Diameter: Between 0.3110 inches and 0.3120 inches Thread Diameter: 0.312 inches Grip Length: Between 0.690 inches and 0.710 inches Thready Qty Per Inch (tpi): 24 Surface Finish: 125.0 microinches Material: Nickel alloy 718 Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure:  Demilitarization: No	Extended Washer Thickness:
Between 0.3110 inches and 0.3120 inches Thread Diameter: 0.312 inches Grip Length: Between 0.690 inches and 0.710 inches Thready Qty Per Inch (tpi): 24 Surface Finish: 125.0 microinches Material: Nickel alloy 718 Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Between 0.070 inches and 0.080 inches
Thread Diameter: 0.312 inches Grip Length: Between 0.690 inches and 0.710 inches Thready Qty Per Inch (tpi): 24 Surface Finish: 125.0 microinches Material: Nickel alloy 718 Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fig:	Grip Diameter:
0.312 inches Grip Length: Between 0.690 inches and 0.710 inches Thready Qty Per Inch (tpi): 24 Surface Finish: 125.0 microinches Material: Nickel alloy 718 Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fig:	Between 0.3110 inches and 0.3120 inches
Grip Length: Between 0.690 inches and 0.710 inches Thready Qty Per Inch (tpi): 24 Surface Finish: 125.0 microinches Material: Nickel alloy 718 Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fig:	Thread Diameter:
Between 0.690 inches and 0.710 inches Thready Qty Per Inch (tpi): 24 Surface Finish: 125.0 microinches Material: Nickel alloy 718 Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	0.312 inches
Thready Qty Per Inch (tpi): 24 Surface Finish: 125.0 microinches Material: Nickel alloy 718 Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fig:	Grip Length:
24 Surface Finish: 125.0 microinches Material: Nickel alloy 718 Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fig:	Between 0.690 inches and 0.710 inches
Surface Finish: 125.0 microinches Material: Nickel alloy 718 Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fig:	Thready Qty Per Inch (tpi):
125.0 microinches Material: Nickel alloy 718 Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fig:	24
Material: Nickel alloy 718 Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fiig:	Surface Finish:
Nickel alloy 718 Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fiig:	125.0 microinches
Material Specification: Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fiig:	Material:
Inconel fscm 74900 mfr ref single material response Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Nickel alloy 718
Thread Series Designator: Unjf Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fiig:	Material Specification:
Unjf Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fiig:	Inconel fscm 74900 mfr ref single material response
Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fiig:	Thread Series Designator:
N/a Unit Of Measure:  Demilitarization: No Fiig:	Unjf
Unit Of Measure:  Demilitarization: No Fiig:	Shelf Life:
 Demilitarization: No Fiig:	N/a
No Fiig:	Unit Of Measure:
No Fiig:	
Fiig:	Demilitarization:
	No
A00260	Fiig:
A00300	A003b0