NSN 5306-00-131-2645

Machine Bolt - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5306-00-131-2645



Thread Class: 3a **Thread Direction: Right-hand Thread Length:** Between 0.499 inches and 0.578 inches Fastener Length: Between 0.953 inches and 1.000 inches **Head Style:** Hexagon **Head Height:** Between 0.172 inches and 0.204 inches Width Between Flats: Between 0.490 inches and 0.502 inches Hole Diameter: 0.070 inches **Thread Diameter:** 0.312 inches Grip Length: Between 0.422 inches and 0.454 inches **Hole Quantity:** 1 Hole Type: Drilled **Features Provided:** Finished head Thready Qty Per Inch (tpi): 24 Min. Tensile Strength (psi): 62000 pounds per square inch Hole Configuration Style: Hexagon flats Material: Aluminum alloy **Material Specification:** Qq-a-200 federal specification single material response or qq-a-225 federal specification single material response or qq-a-430 federal

specification single material response

Surface Treatment:

Oxide film and anodize

Surface Treatment Specification:

Mil-c-5541 military specification 1st treatment response and mil-a-8625 military specification 2nd treatment response

Thread Series Designator:

NSN 5306-00-131-2645

Machine Bolt - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-c-5541 spec.

