## NSN 5306-00-143-1376



Machine Bolt - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5306-00-143-1376 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.365 inches and 0.385 inches **Fastener Length:** Between 0.365 inches and 0.385 inches **Head Style:** Hexagon **Head Height:** Between 0.146 inches and 0.166 inches Width Between Flats: Between 0.367 inches and 0.376 inches **Hole Diameter:** 0.047 inches **Thread Diameter:** 0.190 inches **Hole Quantity: Hole Type:** Drilled **Features Provided:** Finished head Thready Qty Per Inch (tpi): 32 Hardness Rating: 65.0 rockwell a and 69.0 rockwell a **Hole Configuration Style:** Hexagon longitudinal hole **Criticality Code Justification:** 

Surface Finish:

63.0 microinches bearing surface of head

Material:

Stainless steel

**Material Specification:** 

+8012, fscm 91547 mfr ref single material response

**Precious Material:** 

Silver

**Surface Treatment:** 

Silver

## NSN 5306-00-143-1376

Machine Bolt - Page 2 of 2



## **Surface Treatment Specification:**

Ams 2410 assn standard single treatment response

## **Test Data Document:**

+6808-91547 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread	Series	Designator:
Unf		

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A003b0