

View Online at <https://aerobasegroup.com/nsn/5306-00-147-1908>

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Thread Length:**

0.875 inches

**Fastener Length:**

6.875 inches

**Head Style:**

Hexagon extended washer

**Head Height:**

0.344 inches

**Width Between Flats:**

0.562 inches

**Extended Washer Diameter:**

0.812 inches

**Extended Washer Thickness:**

0.062 inches

**Hole Diameter:**

0.062 inches

**Thread Diameter:**

0.375 inches

**Grip Length:**

6.000 inches

**Hole Quantity:**

3

**Hole Type:**

Drilled

**Features Provided:**

Finished head

**Thready Qty Per Inch (tpi):**

24

**Min. Tensile Strength (psi):**

125000 pounds per square inch

**Hardness Rating:**

28.0 rockwell c and 32.0 rockwell c

**Hole Configuration Style:**

Hexagon flats

**Material:**

Steel comp 8630 or steel comp 8740 or steel comp 4130

**Material Specification:**

Ams6280 assn standard 1st material response or a-56322 or ams6324 assn standard 2nd material response or ams6370 assn standard 3rd material response

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Ams 2400 assn standard single treatment response

**Thread Series Designator:**

Unf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A003b0