NSN 5306-00-149-9994

Internal Wrenching Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-149-9994 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.475 inches and 0.525 inches **Fastener Length:** Between 1.235 inches and 1.265 inches **Head Style:** Bevel-conical **Head Diameter:** Between 0.430 inches and 0.438 inches **Head Height:** 0.226 inches **Hole Diameter:** 0.046 inches **Internal Drive Style:** Hexagon **Thread Diameter:** 0.250 inches Width Across Flats: Between 0.219 inches and 0.221 inches **Hole Quantity: Hole Type:** Drilled Thready Qty Per Inch (tpi): Min. Tensile Strength (psi): 160000 pounds per square inch **Hole Configuration Style:** Hexagon flats Material: Steel comp e4340 or steel comp 8740 or steel comp 6150 or steel comp 3140 or steel comp 3135 **Surface Treatment:** Cadmium and chromate **Surface Treatment Specification:** Qq-s-416, type 2, cl 3 federal specification all treatment responses **Thread Series Designator:**

Unjf

Specification Data:

80205-nas144 professional/industrial association standard

NSN 5306-00-149-9994

Internal Wrenching Bolt - Page 2 of 2



-			
٠.	hΔ	Iŧ.	ife:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0