NSN 5306-00-151-0789

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-151-0789 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.625 inches and 0.703 inches **Fastener Length:** Between 2.953 inches and 3.000 inches **Head Style:** Hexagon **Head Height:** Between 0.234 inches and 0.266 inches Width Between Flats: Between 0.615 inches and 0.627 inches **Thread Diameter:** 0.438 inches **Grip Length:** Between 2.297 inches and 2.328 inches **Features Provided:** Finished head Thready Qty Per Inch (tpi): 20 Min. Tensile Strength (psi): 62000 pounds per square inch Material: Aluminum alloy **Material Specification:** Qq-a-200 federal specification single material response or qq-a-225 federal specification single material response or qq-a-430 federal specification single material response **Surface Treatment:** Oxide film and anodize **Surface Treatment Specification:** Mil-c-5541 military specification 1st treatment response and mil-a-8625 military specification 2nd treatment response **Thread Series Designator:** Unf Shelf Life: N/a **Unit Of Measure:**

Fiig: A003b0

No

Demilitarization:

NSN 5306-00-151-0789

Machine Bolt - Page 2 of 2



Mil-std (military Standard):

Mil-c-5541 spec.