

View Online at <https://aerobasegroup.com/nsn/5306-00-152-0997>

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Thread Length:**

0.484 inches

**Fastener Length:**

4.822 inches

**Head Style:**

Round w/wrench flats

**Head Diameter:**

1.062 inches

**Head Height:**

0.688 inches

**Width Between Flats:**

0.938 inches

**Hole Diameter:**

0.070 inches

**Shank Unthreaded Hole Diameter:**

0.141 inches first hole

**Thread Diameter:**

0.625 inches

**Grip Length:**

4.088 inches

**Hole Quantity:**

1

**Hole Type:**

Drilled

**Features Provided:**

Finished head

**Thready Qty Per Inch (tpi):**

18

**Min. Tensile Strength (psi):**

150000 pounds per square inch

**Hardness Rating:**

33.0 rockwell c and 37.0 rockwell c

**Distance From Head Largest Bearing Surface To Shank Hole Center:**

4.438 inches first hole

**Material:**

Steel comp e4340

**Material Specification:**

Mil-s-5000 military specification single material response

**Surface Treatment:**

Cadmium

**Thread Series Designator:**

Unf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A003b0

**Mil-std (military Standard):**

Mil-s-5000 spec.