NSN 5306-00-156-2328

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-156-2328

Thread Class: За **Thread Direction:** Right-hand Thread Length: Between 0.374 inches and 0.453 inches **Fastener Length:** Between 0.891 inches and 0.938 inches **Head Style:** Hexagon **Head Height:** Between 0.109 inches and 0.141 inches Width Between Flats: Between 0.365 inches and 0.377 inches **End Application:** Joint stars target radar system; aircraft airlifter c-17a **Thread Diameter:** 0.190 inches **Grip Length:** Between 0.484 inches and 0.516 inches **Features Provided:** Finished head Thready Qty Per Inch (tpi): Min. Tensile Strength (psi): 125000 pounds per square inch Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Material: Steel comp 431 **Material Specification:** Mil-s-18732 military specification single material response **Surface Treatment: Passivate Thread Series Designator:**

Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

Unf

NSN 5306-00-156-2328

Machine Bolt - Page 2 of 2



Fiig:

A003b0

Mil-std (military Standard):

Mil-s-18732 spec.