NSN 5306-00-180-3371

Machine Bolt - Page 1 of 2

Thread Class:

Unf



View Online at https://aerobasegroup.com/nsn/5306-00-180-3371

| 3a |
|--|
| Thread Direction: |
| Right-hand |
| Thread Length: |
| 0.625 inches |
| Fastener Length: |
| 0.625 inches |
| Head Style: |
| Hexagon |
| Head Height: |
| 0.203 inches |
| Width Between Flats: |
| Between 0.492 inches and 0.502 inches |
| Hole Diameter: |
| 0.070 inches |
| Thread Diameter: |
| 0.312 inches |
| Hole Quantity: |
| 1 |
| Hole Type: |
| Drilled |
| Features Provided: |
| Finished head |
| Thready Qty Per Inch (tpi): |
| 24 |
| Hardness Rating: |
| 26.0 rockwell c and 32.0 rockwell c |
| Hole Configuration Style: |
| Hexagon flats |
| Surface Finish: |
| 63.0 microinches grip |
| Material: |
| Steel comp 8740 |
| Material Specification: |
| Ams 6322 assn standard single material response |
| Surface Treatment: |
| Cadmium |
| Surface Treatment Specification: |
| Ams 2400 assn standard single treatment response |
| Thread Series Designator: |

NSN 5306-00-180-3371

Machine Bolt - Page 2 of 2



| _ | | | | | |
|---|----|------|---|--------|--|
| c | hο | JIF. | | .ife: | |
| J | | | _ | .II C. | |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0