NSN 5306-00-182-1949

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-182-1949 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.500 inches and 0.578 inches **Fastener Length:** Between 0.828 inches and 0.875 inches **Head Style:** Hexagon **Head Height:** Between 0.172 inches and 0.204 inches Width Between Flats: Between 0.490 inches and 0.502 inches **Hole Diameter:** 0.070 inches **Thread Diameter:** 0.312 inches **Grip Length:** Between 0.297 inches and 0.328 inches **Hole Quantity:** 1 **Hole Type:** Drilled **Features Provided:** Finished head Thready Qty Per Inch (tpi): 24 Min. Tensile Strength (psi): 125000 pounds per square inch Hardness Rating: 26.0 rockwell c and 32.0 rockwell c **Hole Configuration Style:** Hexagon flats Material: Steel comp 431 **Material Specification:** Mil-s-18732 military specification single material response **Surface Treatment:**

Passivate

Thread Series Designator:

Unf

NSN 5306-00-182-1949

Machine Bolt - Page 2 of 2



N/a			
Unit	Of	Meas	sure:

Shelf Life:

Demilitarization:

No

Fiig: A003b0

Mil-std (military Standard):

Mil-s-18732 spec.