NSN 5306-00-206-4365

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-206-4365

Thread Direction: Right-hand Thread Length: Between 0.740 inches and 0.760 inches Fastener Length: Between 0.740 inches and 0.760 inches Head Style: Hexagon Head Height: Between 0.193 inches and 0.213 inches Width Between Flats: 0.500 inches Hole Diameter: 0.070 inches Thread Diameter: 0.312 inches Hole Quantity: 1 Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 24 Hole Configuration Style: Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	
Thread Direction: Right-hand Thread Length: Between 0.740 inches and 0.760 inches Fastener Length: Between 0.740 inches and 0.760 inches Head Style: Hexagon Head Height: Between 0.193 inches and 0.213 inches Width Between Flats: 0.500 inches Hole Diameter: 0.070 inches Thread Diameter: 0.312 inches Hole Quantity: 1 Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 24 Hole Configuration Style: Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	Thread Class:
Right-hand Thread Length: Between 0.740 inches and 0.760 inches Fastener Length: Between 0.740 inches and 0.760 inches Head Style: Hexagon Head Height: Between 0.193 inches and 0.213 inches Width Between Flats: 0.500 inches Hole Diameter: 0.070 inches Thread Diameter: 0.312 inches Hole Quantity: 1 Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 24 Hole Configuration Style: Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	1a
Thread Length: Between 0.740 inches and 0.760 inches Fastener Length: Between 0.740 inches and 0.760 inches Head Style: Hexagon Head Height: Between 0.193 inches and 0.213 inches Width Between Flats: 0.500 inches Hole Diameter: 0.070 inches Thread Diameter: 0.312 inches Hole Quantity: 1 Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 24 Hole Configuration Style: Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	Thread Direction:
Between 0.740 inches and 0.760 inches Fastener Length: Between 0.740 inches and 0.760 inches Head Style: Hexagon Head Height: Between 0.193 inches and 0.213 inches Width Between Flats: 0.500 inches Hole Diameter: 0.070 inches Thread Diameter: 0.312 inches Hole Quantity: 1 Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 24 Hole Configuration Style: Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	Right-hand
Fastener Length: Between 0.740 inches and 0.760 inches Head Style: Hexagon Head Height: Between 0.193 inches and 0.213 inches Width Between Flats: 0.500 inches Hole Diameter: 0.070 inches Thread Diameter: 0.312 inches Hole Quantity: 1 Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 24 Hole Configuration Style: Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	Thread Length:
Between 0.740 inches and 0.760 inches Head Style: Hexagon Head Height: Between 0.193 inches and 0.213 inches Width Between Flats: 0.500 inches Hole Diameter: 0.070 inches Thread Diameter: 0.312 inches Hole Quantity: 1 Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 24 Hole Configuration Style: Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	Between 0.740 inches and 0.760 inches
Head Style: Hexagon Head Height: Between 0.193 inches and 0.213 inches Width Between Flats: 0.500 inches Hole Diameter: 0.070 inches Thread Diameter: 0.312 inches Hole Quantity: 1 Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 24 Hole Configuration Style: Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	Fastener Length:
Head Height: Between 0.193 inches and 0.213 inches Width Between Flats: 0.500 inches Hole Diameter: 0.070 inches Thread Diameter: 0.312 inches Hole Quantity: 1 Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 24 Hole Configuration Style: Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	Between 0.740 inches and 0.760 inches
Head Height: Between 0.193 inches and 0.213 inches Width Between Flats: 0.500 inches Hole Diameter: 0.070 inches Thread Diameter: 0.312 inches Hole Quantity: 1 Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 24 Hole Configuration Style: Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	Head Style:
Between 0.193 inches and 0.213 inches Width Between Flats: 0.500 inches Hole Diameter: 0.070 inches Thread Diameter: 0.312 inches Hole Quantity: 1 Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 24 Hole Configuration Style: Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	Hexagon
Width Between Flats: 0.500 inches Hole Diameter: 0.070 inches Thread Diameter: 0.312 inches Hole Quantity: 1 Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 24 Hole Configuration Style: Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	Head Height:
O.500 inches Hole Diameter: O.070 inches Thread Diameter: O.312 inches Hole Quantity: 1 Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 24 Hole Configuration Style: Hexagon flats Special Features: O.079 in. Min, O.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	Between 0.193 inches and 0.213 inches
Hole Diameter: 0.070 inches Thread Diameter: 0.312 inches Hole Quantity: 1 Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 24 Hole Configuration Style: Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	Width Between Flats:
O.070 inches Thread Diameter: O.312 inches Hole Quantity: 1 Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 24 Hole Configuration Style: Hexagon flats Special Features: O.079 in. Min, O.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	0.500 inches
Thread Diameter: 0.312 inches Hole Quantity: 1 Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 24 Hole Configuration Style: Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	Hole Diameter:
0.312 inches Hole Quantity: 1 Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 24 Hole Configuration Style: Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	0.070 inches
Hole Quantity: 1 Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 24 Hole Configuration Style: Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	Thread Diameter:
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 24 Hole Configuration Style: Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	0.312 inches
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 24 Hole Configuration Style: Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	Hole Quantity:
Peatures Provided: Finished head Thready Qty Per Inch (tpi): 24 Hole Configuration Style: Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	1
Features Provided: Finished head Thready Qty Per Inch (tpi): 24 Hole Configuration Style: Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	Hole Type:
Finished head Thready Qty Per Inch (tpi): 24 Hole Configuration Style: Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	Drilled
Thready Qty Per Inch (tpi): 24 Hole Configuration Style: Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	Features Provided:
Hole Configuration Style: Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	Finished head
Hole Configuration Style: Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	Thready Qty Per Inch (tpi):
Hexagon flats Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	24
Special Features: 0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	Hole Configuration Style:
0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	Hexagon flats
Material: Stainless steel Material Specification: Ms-7472 assn standard single material response	Special Features:
Stainless steel Material Specification: Ms-7472 assn standard single material response	0.079 in. Min, 0.109 in. Maximum diameter by 120 degrees ctsk on thd end
Material Specification: Ms-7472 assn standard single material response	Material:
Ms-7472 assn standard single material response	Stainless steel
	Material Specification:
Thread Series Designator:	Ms-7472 assn standard single material response
Tillead Geries Designator.	Thread Series Designator:
Unf	Unf
Shelf Life:	Shelf Life:
N/a	N/a
Unit Of Measure:	Unit Of Measure:
	Demilitarization:
Damilitariantian.	Demilitarization:

No

NSN 5306-00-206-4365 Machine Bolt - Page 2 of 2



Fiig:

A003b0