## NSN 5306-00-206-5223



Machine Bolt - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5306-00-206-5223 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.875 inches **Fastener Length:** Between 1.844 inches and 1.875 inches **Head Style:** Hexagon **Head Height:** Between 0.226 inches and 0.243 inches Width Between Flats: Between 0.544 inches and 0.562 inches **Shank Unthreaded Hole Diameter:** 0.094 inches first hole **Thread Diameter:** 0.375 inches **Grip Length:** 0.969 inches **Features Provided:** Finished head Thready Qty Per Inch (tpi): 24 Min. Tensile Strength (psi): 69000 pounds per square inch **Hardness Rating:** 100.0 rockwell b Distance From Head Largest Bearing Surface To Shank Hole Center: 1.750 inches first hole Material: Steel **Material Specification:** Sae gr 2 assn standard single material response **Thread Series Designator:** 

Sae gr 2 assn standard single material responder.

Thread Series Designator:
Unf

Specification Or Standard:
2 type and 10p style and 2 grade

Shelf Life:

N/a

**Unit Of Measure:** 

--

## NSN 5306-00-206-5223

Machine Bolt - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0