## NSN 5306-00-206-6283

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-206-6283

view Offiline at https://defobasegroup.com/hsi//5500-00-200-0255
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.781 inches
Fastener Length:
1.219 inches
Head Style:
Hexagon
Head Height:
Between 0.265 inches and 0.297 inches
Width Between Flats:
Between 0.740 inches and 0.752 inches
Hole Diameter:
0.062 inches
Thread Diameter:
0.500 inches
Grip Length:
0.438 inches
Hole Quantity:
1
Hole Type:
Drilled
Features Provided:
Finished head
Thready Qty Per Inch (tpi):
20
Min. Tensile Strength (psi):
125000 pounds per square inch
Hardness Rating:
26.0 rockwell c and 32.0 rockwell c
Hole Configuration Style:
Hexagon flats
Material:
Steel comp 8740 or steel comp 8630 or steel comp 8735
Material Specification:
Mil-s-6049 military specification 1st material response or mil-s-6050 military specification 2nd material response or mil-s-6098 military
specification 3rd material response
Surface Treatment:
Cadmium or zinc
Thread Series Designator:

Unf

## NSN 5306-00-206-6283

Machine Bolt - Page 2 of 2



N/a	
Unit Of Measure:	
Demilitarization:	
No	
No Fiig:	

Mil-std (military Standard):

Mil-s-6049 spec.

Shelf Life: