NSN 5306-00-206-9664

Internal Wrenching Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-206-9664 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.548 inches and 0.578 inches **Fastener Length:** Between 3.235 inches and 3.265 inches **Head Diameter:** Between 0.523 inches and 0.531 inches **Head Height:** 0.276 inches **Internal Drive Style:** Hexagon **Thread Diameter:** 0.312 inches Width Across Flats: Between 0.313 inches and 0.315 inches Thready Qty Per Inch (tpi): 24 Min. Tensile Strength (psi): 160000 pounds per square inch **Special Features:** 6 drilled holes Material: Steel comp e4340 or steel comp 8740 or steel comp 6150 or steel **Material Specification:** Mil-s-5000 military specification 1st material response or mil-s-6049 military specification 2nd material response or mil-s-8503 military specification 3rd material response or an-qq-s-690 cond. E4 federal specification 4th material response **Surface Treatment:** Cadmium **Thread Series Designator:** Unf **Specification Data:** 80205-nas145dh52 professional/industrial association standard Shelf Life: N/a **Unit Of Measure: Demilitarization:**

No

Fiig:

A003b0

NSN 5306-00-206-9664

Internal Wrenching Bolt - Page 2 of 2



Mil-std (military Standard):

Mil-s-5000 spec.