NSN 5306-00-224-9332

Internal Wrenching Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-224-9332

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.211 inches and 0.303 inches
Fastener Length:
Between 0.359 inches and 0.391 inches
Head Diameter:
Between 0.303 inches and 0.312 inches
Head Height:
Between 0.185 inches and 0.190 inches
Hole Diameter:
0.047 inches
First Diameter From Head:
Between 0.165 inches and 0.175 inches
Distance From Largest Bearing Surface Of Head To End Of First Diameter:
Between 0.088 inches and 0.148 inches
Internal Drive Style:
Hexagon
Thread Diameter:
0.190 inches
Width Across Flats:
Between 0.156 inches and 0.159 inches
Hole Quantity:
6
Hole Type:
Drilled
Thready Qty Per Inch (tpi):
32
Min. Tensile Strength (psi):
125000 pounds per square inch
Minimum Yield Strength:
80000 pounds per square inch
Hole Configuration Style:
Round internal hexagon
Surface Finish:
63.0 microinches grip
Material:
Steel comp 304
Material Specification:
Qq-s-763 federal specification single material response

NSN 5306-00-224-9332

Internal Wrenching Bolt - Page 2 of 2

Surface Treatment:

Passivate

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0

